City of Springfield
Water Pollution Control Section
Pollution Complaint/Report Form

Date 1/29/92

Report From:
- [ ] Citizen
- [ ] Fire Dept.
- [ ] Public Information Office
- [ ] Health Department
- [x] Other GREG PERKINS - FROM GWEN HUBBLE, CHRISTIAN CO.

Received By: R. LYMAN
Referred To: B. CORSON
Date of Incident: 1/29/92

Complainant Information:
Name GWEN HUBBLE
Address CHRISTIAN CO.
Phone
Directions (if needed):

Responsible Party Information:
Name MICRO INNOVATIONS INC.
Address 2160 N. FOX HOLLOW WEST CC 65714
Phone 883-0379
NIXA, MO.

Possible contamination of:
- [ ] soil
- [ ] groundwater
- [ ] surface water what body?
- [x] other SANITARY SEWER

Other pertinent information:

Who to contact:
- [ ] DNR 417-837-6950
- [ ] DNR 314-634-2436
- [ ] EPA 913-236-3778
- [ ] Fire Dept. 864-1719
- [ ] Police Dept. 864-1719
- [ ] Bob Schaefer
- [ ] CU 831-8320
- [ ] Street Dept.
- [ ] Health Dept.
- [ ] Sewer Maintenance
- [ ] Sewer Construction
- [ ] Chemtrec 1-800-424-9300
- [ ] DOT
- [ ] NRC 1-800-424-8802
- [ ] Other

Details of incident: MS. HUBBLE RECEIVED A COMPLAINT FROM A COMPETITOR OF MICRO INNOV. that FILM STRIPPING WASTE WAS BEING DISCHARGED TO ON-SITE DISPOSAL SYSTEM. I told MR. PERKINS they ARE ON City SEWER. HE TOLD MS. HUBBLE, SHE SAYS CHRISTIAN CO. WILL BE ANGRY WE SERVE them with SEWER.

Action needed: INSPECT FOR COMPLIANCE WITH OUR WASTEWATER REGULATIONS. PERKINS SAYS they DISCHARGE 4-5 gals/minute of FILM STRIPPER, FROM MICROFILMING MEDICAL RECORDS. HE THINKS they REVERSE plate to RECLAIM SILVER.

(over) ADDRESS 2160 N. FOX HOLLOW WEST
NIXA, MO.

Investigation Results

1-29-92
called Rick Barnhouse - President to set up inspection time 864-2107

1-30-92 phone conversation with Gwen Hubble will conduct joint inspection of industrial park 2-3-92

2-3-92 went inspection with Gwen Hubble of Fox Hollow industrial Park I provide her with a map of the sewers.

She was interested if sewer was available to the softball complex. I told her to contact Rob Schafer concerning this matter.

Catfish House is for sale.

She understood that Micro Computing is connected to the sewer system.