City of Springfield
Water Pollution Control Section
Pollution Complaint/Report Form

Date June 13, 1990

Report From:
- [x] Citizen
- [ ] Fire Dept
- [ ] Sewer Maintenance
- [ ] Other_____

Received By: Bob Corson
Referred To: Gene Pabst
Date of Incident:_____

Complainant Information:
Name Anonymous
Address_____
Phone_____

Responsible Party Information:
Name Best Bilt
Address 2527 E. Kearney
Phone 869-0703

Directions(if needed)_____

Possible contamination of: [ ] soil [ ] groundwater
[ ] surface water what body?_____
[ ] other_____

Other Pertinent Information_____

Who to contact:

[ ] DNR 417-883-4033	[ ] Bob Schaefer	[ ] Sewer Const
[ ] DNR 314-634-2436	[ ] CU 831-8320	[ ] Chemtrec 800-424-9300
[ ] EPA 913-236-3378	[ ] Street Dept	[ ] DOT
[ ] Fire Dept 864-1719	[ ] Health Dept	[ ] NRC 312-790-5500
[ ] Police Dept 864-1719	[ ] Sewer Maint	[ ] Other_____

Details of Incident: Dumping Stuff down the floor drains. "Floor drains Are open Again."

Action needed: I went to Best Bilt. I talked to Mr. Gravett, owner, About dumping. I went to the shop Area And made An inspection. The only open pipes in the floor were used for (4" plastic) putting Air lines & electric to work stations. Plastic pipe does Not go Anywhere except to work stations. They bake parts to clean them. They have A hot tank. When parts removed from hot tank they Are washed & wash water is captured & put in oven to evaporate. I saw no evidence of Any dumping. No floor drains in shop Area. only bathroom type drains.

Gene Pabst

2527 E. Kearney