



908 North Temperance Ave. ▽ Clovis, CA 93611 ▽ Phone 559-275-2175 ▽ Fax 559-275-4422

Certification Number: CA1312 (DW & WW)
NELAP Certification number: CA00046 (HW)

June 16, 2021

WECK Laboratories, Inc
14859 East Clark Avenue
City of Industry, CA 91745-1396

Attn: Chris Samatmanakit

Subject: Report of Data: Case 96100

Results in this report apply to the sample analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Dear Mr. Samatmanakit,

One solid sample for project “1D29055 IFB #009-2021-PFAS” was received May 6, 2021, at 0.0°C. Written results are provided on this June 16, 2021, for the requested analyses. All holding times were met.

For PFAS analysis, the sample was extracted according to APPL SOP PRE537 and analyzed according to APPL SOP ANA537 and DoD QSM Table B-15. Some extracted internal standards recover below the lower control limit.

If you have any questions or require further information, please contact us at your convenience. Thank you for choosing APPL, Inc.

I certify that this data package is in compliance with the terms and conditions of the contract, both technically and for completeness, for other than the conditions detailed above. These test results meet all requirements of NELAC. Release of the hard copy has been authorized by the Laboratory Manager or his designee, as verified by the following signature.

Loren Portwood, Laboratory Director
APPL, Inc.

LP/cm
Enclosure
cc: File

PFAS IN BIO-SOLIDS

WECK
14859 East Clark Avenue
City of Industry, CA 91745-1396

APPL Inc.
908 North Temperance Avenue
Clovis, CA 93611

Attn: Chris Samatmanakit

Project: 1D29055 IFB #009-2021-PFAS

ARF: 96100

Sample ID: 1D29055-11/SW BIOSOLIDS FIELD SAMPLE

APPL ID: BA32121

Sample Collection Date: 04/27/21

CGC: #PFASC-210511A-264547

Method	Analyte	Result	PQL	MDL	Units	Extraction Date	Analysis Date
(Solid Concentrations and Limits have been adjusted to reflect 77.8 Percent Moisture.)							
B-15BS	11-CL-PF3OUDS	Not detected	230000	90000.0	ng/kg	05/11/21	05/17/21
B-15BS	9-CL-PF3ONS	Not detected	230000	90000.0	ng/kg	05/11/21	05/17/21
B-15BS	ADONA	Not detected	230000	90000.0	ng/kg	05/11/21	05/17/21
B-15BS	FTS 4:2	Not detected	90000	36000.0	ng/kg	05/11/21	05/17/21
B-15BS	FTS 6:2	Not detected	90000	36000.0	ng/kg	05/11/21	05/17/21
B-15BS	FTS 8:2	Not detected	90000	27000.0	ng/kg	05/11/21	05/17/21
B-15BS	HFPO-DA	Not detected	230000	90000.0	ng/kg	05/11/21	05/17/21
B-15BS	N-ETFOSA	Not detected	90000	36000.0	ng/kg	05/11/21	05/17/21
B-15BS	N-ETFOSAA	Not detected	90000	36000.0	ng/kg	05/11/21	05/17/21
B-15BS	N-ETFOSE	Not detected	90000	36000.0	ng/kg	05/11/21	05/17/21
B-15BS	N-MEFOSA	Not detected	90000	36000.0	ng/kg	05/11/21	05/17/21
B-15BS	N-MEFOSAA	Not detected	90000	36000.0	ng/kg	05/11/21	05/17/21
B-15BS	N-MEFOSE	Not detected	90000	36000.0	ng/kg	05/11/21	05/17/21
B-15BS	PFBA	Not detected	45000	9000.0	ng/kg	05/11/21	05/17/21
B-15BS	PFBS	Not detected	45000	9000.0	ng/kg	05/11/21	05/17/21
B-15BS	PFDA	Not detected	45000	14000.0	ng/kg	05/11/21	05/17/21
B-15BS	PFDOA	Not detected	45000	14000.0	ng/kg	05/11/21	05/17/21
B-15BS	PFDS	Not detected	90000	36000.0	ng/kg	05/11/21	05/17/21
B-15BS	PFHPA	Not detected	45000	9000.0	ng/kg	05/11/21	05/17/21
B-15BS	PFHPS	Not detected	90000	27000.0	ng/kg	05/11/21	05/17/21
B-15BS	PFHXA	Not detected	45000	18000.0	ng/kg	05/11/21	05/17/21
B-15BS	PFHXS	Not detected	90000	27000.0	ng/kg	05/11/21	05/17/21
B-15BS	PFNA	Not detected	45000	9000.0	ng/kg	05/11/21	05/17/21
B-15BS	PFNS	Not detected	230000	45000.0	ng/kg	05/11/21	05/17/21
B-15BS	PFOA	Not detected	45000	14000.0	ng/kg	05/11/21	05/17/21
B-15BS	PFOS	22000 J	90000	18000.0	ng/kg	05/11/21	05/17/21
B-15BS	PFOSA	Not detected	45000	9000.0	ng/kg	05/11/21	05/17/21
B-15BS	PFPEA	Not detected	45000	14000.0	ng/kg	05/11/21	05/17/21
B-15BS	PFPEs	Not detected	90000	18000.0	ng/kg	05/11/21	05/17/21
B-15BS	PFTEDA	Not detected	90000	36000.0	ng/kg	05/11/21	05/17/21
B-15BS	PFTRDA	Not detected	45000	9000.0	ng/kg	05/11/21	05/17/21
B-15BS	PFUDA	Not detected	45000	9000.0	ng/kg	05/11/21	05/17/21
B-15BS	SURROGATE: 13C2-4:2FTS (S)	128	50-150		%	05/11/21	05/17/21
B-15BS	SURROGATE: 13C2-6:2FTS (S)	90.1	50-150		%	05/11/21	05/17/21
B-15BS	SURROGATE: 13C2-8:2FTS (S)	109	50-150		%	05/11/21	05/17/21

J = Estimated value.

= Recovery (or RPD) is outside QC limits.

Quant Method: B15\2021_05_12
Run #: 2021-05-1737
Instrument: Saphira
Sequence: 2021-05-17
Dilution Factor: 1
Initials: DG

Printed: 06/02/21 9:15:25 AM

APPL-F1-SC-MCRes/MCPQL-REG MDLs

PFAS IN BIO-SOLIDS

WECK
14859 East Clark Avenue
City of Industry, CA 91745-1396

APPL Inc.
908 North Temperance Avenue
Clovis, CA 93611

Attn: Chris Samatmanakit

Project: 1D29055 IFB #009-2021-PFAS

ARF: 96100

Sample ID: 1D29055-11/SW BIOSOLIDS FIELD SAMPLE

APPL ID: BA32121

Sample Collection Date: 04/27/21

CGC: #PFASC-210511A-264547

Method	Analyte	Result	PQL	MDL	Units	Extraction Date	Analysis Date
B-15BS	SURROGATE: 13C2-PFDOA (S)	31.9 #	50-150		%	05/11/21	05/17/21
B-15BS	SURROGATE: 13C2-PFTEDA (S)	42.9 #	50-150		%	05/11/21	05/17/21
B-15BS	SURROGATE: 13C2D4-6:2FTS (S)	110	50-150		%	05/11/21	05/17/21
B-15BS	SURROGATE: 13C3-HFPO-DA (S)	67.5	50-150		%	05/11/21	05/17/21
B-15BS	SURROGATE: 13C3-PFBS (S)	64.9	50-150		%	05/11/21	05/17/21
B-15BS	SURROGATE: 13C3-PFHXS (S)	93.8	50-150		%	05/11/21	05/17/21
B-15BS	SURROGATE: 13C4-PFBA (S)	41.4 #	50-150		%	05/11/21	05/17/21
B-15BS	SURROGATE: 13C4-PFHFA (S)	73.5	50-150		%	05/11/21	05/17/21
B-15BS	SURROGATE: 13C5-PFHXA (S)	67.9	50-150		%	05/11/21	05/17/21
B-15BS	SURROGATE: 13C5-PFPEA (S)	51.4	50-150		%	05/11/21	05/17/21
B-15BS	SURROGATE: 13C6-PFDA (S)	72.6	50-150		%	05/11/21	05/17/21
B-15BS	SURROGATE: 13C7-PFUDA (S)	54.0	50-150		%	05/11/21	05/17/21
B-15BS	SURROGATE: 13C8-PFOA (S)	73.3	50-150		%	05/11/21	05/17/21
B-15BS	SURROGATE: 13C8-PFOS (S)	83.9	50-150		%	05/11/21	05/17/21
B-15BS	SURROGATE: 13C8-PFOSA (S)	45.5 #	50-150		%	05/11/21	05/17/21
B-15BS	SURROGATE: 13C9-PFNA (S)	70.1	50-150		%	05/11/21	05/17/21
B-15BS	SURROGATE: D3-NMEFOSA (S)	28.2 #	50-150		%	05/11/21	05/17/21
B-15BS	SURROGATE: D3-NMEFOSAA (S)	54.9	50-150		%	05/11/21	05/17/21
B-15BS	SURROGATE: D5-NETFOSA (S)	24.2 #	50-150		%	05/11/21	05/17/21
B-15BS	SURROGATE: D5-NETFOSAA (S)	41.0 #	50-150		%	05/11/21	05/17/21
B-15BS	SURROGATE: D7-NMEFOSE (S)	38.5 #	50-150		%	05/11/21	05/17/21
B-15BS	SURROGATE: D9-NETFOSE (S)	32.6 #	50-150		%	05/11/21	05/17/21

J = Estimated value.

= Recovery (or RPD) is outside QC limits.

Quant Method: B15\2021_05_12
Run #: 2021-05-1737
Instrument: Saphira
Sequence: 2021-05-17
Dilution Factor: 1
Initials: DG

Printed: 06/02/21 9:15:25 AM
APPL-F1-SC-MCRes/MCPQL-REG MDLs

Wetlab Results

WECK

14859 East Clark Avenue

City of Industry, CA 91745-1396

ARF: 96100

APPL Inc.

908 North Temperance Avenue

Clovis, CA 93611

Attn: Chris Samatmanakit

Method	Analyte	Result	PQL	MDL	Units	Prep Date	Analysis Date
--------	---------	--------	-----	-----	-------	-----------	---------------

APPL ID: BA32121 -Client Sample ID: 1D29055-11/SW BIOSOLIDS FIE -Sample Collection Date: 04/27/21 Project: 1D29055 IFB #009-2021

CLP MOIST	MOISTURE	77.8		2.0	%	05/11/21	05/12/21
-----------	----------	------	--	-----	---	----------	----------

Printed: 05/13/21 11:11:34 AM

Method Blank

PFAS IN BIO-SOLIDS

Blank Name/QCG: **210511S-31821 - 264547**
 Batch ID: #PFASC-210511A

APPL Inc.
 908 North Temperance Avenue
 Clovis, CA 93611

Sample Type	Analyte	Result	PQL	MDL	Units	Extraction Date	Analysis Date
BLANK	11-CL-PF3OUDS	Not detected	50000	20000.0	ng/kg	05/11/21	05/17/21
BLANK	9-CL-PF3ONS	Not detected	50000	20000.0	ng/kg	05/11/21	05/17/21
BLANK	ADONA	Not detected	50000	20000.0	ng/kg	05/11/21	05/17/21
BLANK	FTS 4:2	Not detected	20000	8000.0	ng/kg	05/11/21	05/17/21
BLANK	FTS 6:2	Not detected	20000	8000.0	ng/kg	05/11/21	05/17/21
BLANK	FTS 8:2	Not detected	20000	6000.0	ng/kg	05/11/21	05/17/21
BLANK	HFPO-DA	Not detected	50000	20000.0	ng/kg	05/11/21	05/17/21
BLANK	N-ETFOSA	Not detected	20000	8000.0	ng/kg	05/11/21	05/17/21
BLANK	N-ETFOSAA	Not detected	20000	8000.0	ng/kg	05/11/21	05/17/21
BLANK	N-ETFOSE	Not detected	20000	8000.0	ng/kg	05/11/21	05/17/21
BLANK	N-MEFOSA	Not detected	20000	8000.0	ng/kg	05/11/21	05/17/21
BLANK	N-MEFOSAA	Not detected	20000	8000.0	ng/kg	05/11/21	05/17/21
BLANK	N-MEFOSE	Not detected	20000	8000.0	ng/kg	05/11/21	05/17/21
BLANK	PFBA	Not detected	10000	2000.0	ng/kg	05/11/21	05/17/21
BLANK	PFBS	Not detected	10000	2000.0	ng/kg	05/11/21	05/17/21
BLANK	PFDA	Not detected	10000	3000.0	ng/kg	05/11/21	05/17/21
BLANK	PFDOA	Not detected	10000	3000.0	ng/kg	05/11/21	05/17/21
BLANK	PFDS	Not detected	20000	8000.0	ng/kg	05/11/21	05/17/21
BLANK	PFHPA	Not detected	10000	2000.0	ng/kg	05/11/21	05/17/21
BLANK	PFHPS	Not detected	20000	6000.0	ng/kg	05/11/21	05/17/21
BLANK	PFHXA	Not detected	10000	4000.0	ng/kg	05/11/21	05/17/21
BLANK	PFHXS	Not detected	20000	6000.0	ng/kg	05/11/21	05/17/21
BLANK	PFNA	Not detected	10000	2000.0	ng/kg	05/11/21	05/17/21
BLANK	PFNS	Not detected	50000	10000.0	ng/kg	05/11/21	05/17/21
BLANK	PFOA	Not detected	10000	3000.0	ng/kg	05/11/21	05/17/21
BLANK	PFOS	Not detected	20000	4000.0	ng/kg	05/11/21	05/17/21
BLANK	PFOSA	Not detected	10000	2000.0	ng/kg	05/11/21	05/17/21
BLANK	PFPEA	Not detected	10000	3000.0	ng/kg	05/11/21	05/17/21
BLANK	PFPEs	Not detected	20000	4000.0	ng/kg	05/11/21	05/17/21
BLANK	PFTEDA	Not detected	20000	8000.0	ng/kg	05/11/21	05/17/21
BLANK	PFTRDA	Not detected	10000	2000.0	ng/kg	05/11/21	05/17/21
BLANK	PFUDA	Not detected	10000	2000.0	ng/kg	05/11/21	05/17/21
BLANK	SURROGATE: 13C2-4:2FTS (S)	126	50-150		%	05/11/21	05/17/21
BLANK	SURROGATE: 13C2-6:2FTS (S)	123	50-150		%	05/11/21	05/17/21

Quant Method: B15\2021_05
 Run #: 2021-05-173
 Instrument: Saphira
 Sequence: 2021-05-17
 Initials: DG

GC SC-Blank-REG MDLs
 Printed: 06/02/21 9:15:29 AM

Method Blank

PFAS IN BIO-SOLIDS

Blank Name/QCG: **210511S-31821 - 264547**
 Batch ID: #PFASC-210511A

APPL Inc.
 908 North Temperance Avenue
 Clovis, CA 93611

Sample Type	Analyte	Result	PQL	MDL	Units	Extraction Date	Analysis Date
BLANK	SURROGATE: 13C2-8:2FTS (S)	112	50-150		%	05/11/21	05/17/21
BLANK	SURROGATE: 13C2-PFDOA (S)	133	50-150		%	05/11/21	05/17/21
BLANK	SURROGATE: 13C2-PFTEDA (S)	133	50-150		%	05/11/21	05/17/21
BLANK	SURROGATE: 13C2D4-6:2FTS (S)	128	50-150		%	05/11/21	05/17/21
BLANK	SURROGATE: 13C3-HFPO-DA (S)	96.7	50-150		%	05/11/21	05/17/21
BLANK	SURROGATE: 13C3-PFBS (S)	108	50-150		%	05/11/21	05/17/21
BLANK	SURROGATE: 13C3-PFHXS (S)	115	50-150		%	05/11/21	05/17/21
BLANK	SURROGATE: 13C4-PFBA (S)	76.7	50-150		%	05/11/21	05/17/21
BLANK	SURROGATE: 13C4-PFHPA (S)	108	50-150		%	05/11/21	05/17/21
BLANK	SURROGATE: 13C5-PFHXA (S)	100	50-150		%	05/11/21	05/17/21
BLANK	SURROGATE: 13C5-PFPEA (S)	86.9	50-150		%	05/11/21	05/17/21
BLANK	SURROGATE: 13C6-PFDA (S)	117	50-150		%	05/11/21	05/17/21
BLANK	SURROGATE: 13C7-PFUDA (S)	122	50-150		%	05/11/21	05/17/21
BLANK	SURROGATE: 13C8-PFOA (S)	120	50-150		%	05/11/21	05/17/21
BLANK	SURROGATE: 13C8-PFOS (S)	117	50-150		%	05/11/21	05/17/21
BLANK	SURROGATE: 13C8-PFOSA (S)	80.0	50-150		%	05/11/21	05/17/21
BLANK	SURROGATE: 13C9-PFNA (S)	121	50-150		%	05/11/21	05/17/21
BLANK	SURROGATE: D3-NMEFOSA (S)	88.6	50-150		%	05/11/21	05/17/21
BLANK	SURROGATE: D3-NMEFOSAA (S)	113	50-150		%	05/11/21	05/17/21
BLANK	SURROGATE: D5-NETFOSA (S)	86.6	50-150		%	05/11/21	05/17/21
BLANK	SURROGATE: D5-NETFOSAA (S)	117	50-150		%	05/11/21	05/17/21
BLANK	SURROGATE: D7-NMEFOSE (S)	84.0	50-150		%	05/11/21	05/17/21
BLANK	SURROGATE: D9-NETFOSSE (S)	88.9	50-150		%	05/11/21	05/17/21

Quant Method: B15\2021_05
Run #: 2021-05-173
Instrument: Saphira
Sequence: 2021-05-17
Initials: DG

GC SC-Blank-REG MDLs
 Printed: 06/02/21 9:15:29 AM

Laboratory Control Spike Recoveries

PFAS IN BIO-SOLIDS

APPL ID: 210511S-31821 LCS - 264547

Batch ID: #PFASC-210511A

APPL Inc.

908 North Temperance Avenue

Clovis, CA 93611

Compound Name	Spike Lvl ng/kg	SPK Result ng/kg	DUP Result ng/kg	SPK % Recovery	DUP % Recovery	Recovery Limits	RPD %	RPD Limits
11-CL-PF3OUDS	9430	7030	7490	74.5	79.4	73-132	6.3	30
9-CL-PF3ONS	9330	7160	7950	76.7	85.2	68-139	10.5	30
ADONA	9450	9350	10000	98.9	106	59-153	6.7	30
FTS 4:2	9350	8190	8750	87.6	93.6	63-143	6.6	30
FTS 6:2	9490	7880	8120	83.0	85.6	64-140	3.0	30
FTS 8:2	9580	8780	9230	91.6	96.3	67-138	5.0	30
HFPO-DA	10000	8760	9250	87.6	92.5	52-151	5.4	30
N-ETFOSA	10000	7850	8190	78.5	81.9	59-147	4.2	30
N-ETFOSAA	10000	8150	8380	81.5	83.8	61-135	2.8	30
N-ETFOSE	10000	3150	3590	31.5	35.9	27-163	13.1	30
N-MEFOSA	10000	7860	8110	78.6	81.1	35-157	3.1	30
N-MEFOSAA	10000	8630	8670	86.3	86.7	65-136	0.46	30
N-MEFOSE	10000	7840	8170	78.4	81.7	56-151	4.1	30
PFBA	10000	8150	8440	81.5	84.4	73-129	3.5	30
PFBS	8850	7300	7570	82.5	85.6	68-141	3.6	30
PFDA	10000	8980	9050	89.8	90.5	71-129	0.78	30
PFDOA	10000	7950	8760	79.5	87.6	72-134	9.7	30
PFDS	9630	8130	8640	84.4	89.7	53-142	6.1	30
PFHPA	10000	8080	8650	80.8	86.5	72-130	6.8	30
PFHPS	9510	7720	8040	81.1	84.5	69-134	4.1	30
PFHXA	10000	8340	8480	83.4	84.8	72-129	1.7	30
PFHXS	9110	7750	8020	85.1	88.0	68-131	3.4	30
PFNA	10000	8340	8560	83.4	85.6	69-130	2.6	30
PFNS	9600	7700	8630	80.2	89.9	69-127	11.4	30

Comments: _____

<u>Primary</u>	<u>SPK</u>	<u>DUP</u>
Quant Method :	B15\2021_05_12	B15\2021_05_12
Extraction Date :	05/11/21	05/11/21
Analysis Date :	05/17/21	05/17/21
Instrument :	Saphira	Saphira
Run :	2021-05-1731	2021-05-1732
Initials :	DG	

Laboratory Control Spike Recoveries

PFAS IN BIO-SOLIDS

APPL ID: 210511S-31821 LCS - 264547

Batch ID: #PFASC-210511A

APPL Inc.

908 North Temperance Avenue

Clovis, CA 93611

Compound Name	Spike Lvl ng/kg	SPK Result ng/kg	DUP Result ng/kg	SPK % Recovery	DUP % Recovery	Recovery Limits	RPD %	RPD Limits
PFOA	10000	8620	9020	86.2	90.2	71-133	4.5	30
PFOS	9270	7160	7710	77.2	83.1	65-140	7.4	30
PFOSA	10000	8280	8630	82.8	86.3	67-137	4.1	30
PFPEA	10000	8010	8790	80.1	87.9	72-129	9.3	30
PFPEB	9380	8220	8490	87.6	90.5	71-127	3.2	30
PFTEDA	10000	8100	8710	81.0	87.1	71-132	7.3	30
PFTRDA	10000	8300	9130	83.0	91.3	65-144	9.5	30
PFUDA	10000	8710	8940	87.1	89.4	69-133	2.6	30

SURROGATE: 13C2-4:2FTS (S)	100	116	108	116	108	50-150		
SURROGATE: 13C2-6:2FTS (S)	100	119	110	119	110	50-150		
SURROGATE: 13C2-8:2FTS (S)	100	116	110	116	110	50-150		
SURROGATE: 13C2-PFDOA (S)	100	137	131	137	131	50-150		
SURROGATE: 13C2-PFTEDA (S)	100	133	129	133	129	50-150		
SURROGATE: 13C2D4-6:2FTS (S)	100	122	118	122	118	50-150		
SURROGATE: 13C3-HFPO-DA (S)	100	99.6	88.1	99.6	88.1	50-150		
SURROGATE: 13C3-PFBS (S)	100	105	103	105	103	50-150		
SURROGATE: 13C3-PFHXS (S)	100	112	108	112	108	50-150		
SURROGATE: 13C4-PFBA (S)	100	80.8	72.5	80.8	72.5	50-150		
SURROGATE: 13C4-PFHXA (S)	100	109	98.6	109	98.6	50-150		
SURROGATE: 13C5-PFHXA (S)	100	100	93.5	100	93.5	50-150		
SURROGATE: 13C5-PFPEA (S)	100	92.0	78.4	92.0	78.4	50-150		
SURROGATE: 13C6-PFDA (S)	100	115	117	115	117	50-150		
SURROGATE: 13C7-PFUDA (S)	100	119	119	119	119	50-150		
SURROGATE: 13C8-PFOA (S)	100	121	110	121	110	50-150		

Comments: _____

Primary	SPK	DUP
Quant Method :	B15\2021_05_12	B15\2021_05_12
Extraction Date :	05/11/21	05/11/21
Analysis Date :	05/17/21	05/17/21
Instrument :	Saphira	Saphira
Run :	2021-05-1731	2021-05-1732
Initials :	DG	

Laboratory Control Spike Recoveries

PFAS IN BIO-SOLIDS

APPL ID: 210511S-31821 LCS - 264547

Batch ID: #PFASC-210511A

APPL Inc.

908 North Temperance Avenue

Clovis, CA 93611

Compound Name	Spike Lvl ng/kg	SPK Result ng/kg	DUP Result ng/kg	SPK % Recovery	DUP % Recovery	Recovery Limits	RPD %	RPD Limits
SURROGATE: 13C8-PFOS (S)	100	118	111	118	111	50-150		
SURROGATE: 13C8-PFOSA (S)	100	79.7	75.7	79.7	75.7	50-150		
SURROGATE: 13C9-PFNA (S)	100	121	118	121	118	50-150		
SURROGATE: D3-NMEFOSA (S)	100	88.3	83.2	88.3	83.2	50-150		
SURROGATE: D3-NMEFOSAA (S)	100	114	114	114	114	50-150		
SURROGATE: D5-NETFOSA (S)	100	87.0	81.5	87.0	81.5	50-150		
SURROGATE: D5-NETFOSAA (S)	100	108	51.5	108	51.5	50-150		
SURROGATE: D7-NMEFOSE (S)	100	84.2	80.6	84.2	80.6	50-150		
SURROGATE: D9-NETFOSSE (S)	100	88.0	84.6	88.0	84.6	50-150		

Comments: _____

<u>Primary</u>	<u>SPK</u>	<u>DUP</u>
Quant Method :	B15\2021_05_12	B15\2021_05_12
Extraction Date :	05/11/21	05/11/21
Analysis Date :	05/17/21	05/17/21
Instrument :	Saphira	Saphira
Run :	2021-05-1731	2021-05-1732
Initials :	DG	

Subcontracted Laboratory:

APPL, Inc., Clovis, CA
908 N. Temperance Ave.
Clovis, CA 93611
Phone: (559) 275-2175
Fax:

Turn Around Time: Normal unless noted in comments

Project Manager: Chris Samatmanakit

Project Name: IFB #009-2021 - PFAS

Project Number: PFAS

Sampler Employed by: _____

Work Order: 1D29055

Analysis	Expires	Comments
Sample ID: 1D29055-11/SW Biosolids Field Sample (BTSF) Sample comment: EPA 537M - Polyfluoroalkyl Substances (PFAS) Containers Supplied:	05/18/2021 06:15	Sampled: 04/27/2021 06:15 Matrix: Solid Sampled By: Derek Gillis

Remarks / Special Comments:

Sample Condition	
Temperature:	^{IRB} 2.4/0.0°C
Preserved:	Yes / No
Evidence Seal Intact:	Yes / No
Container Attacked:	Yes / No
Preserved at Lab:	Yes / No

Relinquished By: *Shuanglian* Date / Time: 5/5/21 14:30 Received By: *Fedex* Date / Time: _____

Relinquished By: _____ Date / Time: _____ Received By: *[Signature]* Date / Time: 5/6/21 11:20